

Danbury Hospital Outpatient Gram Positive Antibiogram 2010
% susceptible

	Staphylococcus aureus	Staphylococcus, MRSA	Staphylococcus, coagulase negative	Staphylococcus lugdunensis	Enterococcus faecalis	Enterococcus faecium	Streptococcus pneumoniae
number of isolates	680	456	203	21	527	36	32
Amox/clavulanate	100	0	44	100	-	-	67
Amp/sulbactam	100	0	45	100	-	-	-
Ampicillin	-	-	-	-	100	19	-
Azithromycin	-	-	-	-	-	-	50
Cefaclor	-	-	-	-	-	-	60
Cefazolin	100	0	44	100	-	-	-
Cefepime	-	-	-	-	-	-	73
Cefotaxime	-	-	-	-	-	-	63
Ceftriaxone	100	0	45	100	-	-	67
Cefuroxime	-	-	-	-	-	-	60
Chloramphenicol	97	94	-	-	91	91	93
Clindamycin¹	88	33	64	100	-	-	73
Daptomycin	100	100	100	100	100	92	-
Erythromycin	64	10	43	83	26	-	50
Gentamicin	94	98	88	100	-	-	-
Imipenem	100	0	45	93	-	-	-
Levofloxacin	94	34	51	100	83	14	93
Linezolid	100	100	100	100	100	97	-
Meropenem	-	-	-	-	-	-	60
Moxifloxacin	93	68	68	100	-	-	-
Nitrofurantoin(urine)	100	100	99	100	100	33	-
Oxacillin	100	0	45	93	-	-	-
Penicillin	16	0	14	62	100	19	57
Rifampin	99	100	98	100	69	25	-
Synergid	100	100	99	100	0	86	-
Tetracycline	93	94	85	100	19	28	60
Trimethoprim/sulfa	100	98	80	100	-	-	60
Vancomycin	100	100	100	100	99	69	100

(-) Drug not tested or drug not indicated.

β lactam antibiotics are not the drug of choice for treating *Staphylococcus aureus* unless it is penicillin sensitive.

¹All isolates reported as clindamycin susceptible were also susceptible to erythromycin.